

LABORATOIRE DE RECHERCHE EN IMAGERIE ET ORTHOPÉDIE (LIO)

Articles publiés dans des revues 2005 - 2009

2009

1. Chav R, Cresson T, Kauffmann C, de Guise J. (2009) "Method for Fast and Accurate Segmentation Processing from Prior Shape: Application to Femoral Head Segmentation on X-Ray Images." Proceedings of the SPIE, Volume 7259, p. 72594Y - 72594Y-8, Floride, É.-U., février 2009.
2. Bigras P. (2009) "Reduced Nonlinear Observer for Bounded Estimation of the Static Friction Model with the Stribeck Effect." *Systems & Control Letters*, 58(2): 119-23.
3. Briot S, Bonev IA, Gosselin CM. et Arakelian V. (2009) "Complete Shaking Force and Shaking Moment Balancing of Planar Parallel Manipulators with Prismatic Pairs." *Journal of Multi-body Dynamics*, 223(1): 43-52.
4. Briot S. et Bonev IA. (2009) "A New Fully Decoupled 3-DOF Translational Parallel Robot for Pick-and-Place Applications", *Journal of Mechanisms and Robotics*, 1(2).
5. Brown KR, Otasek D, Ali M, McGuffin MJ, Baiju Devani WX, Ian Lawson van Toch, Jurisica I. (2009) "NAViGaTOR: Network Analysis, Visualization and Graphing Toronto." *Bioinformatics*, 25(24): 3327-39 (Plus 28 pages en supplément).
6. Favre J, Aissaoui R, Jolles BM, de Guise JA, Aminian K. (2009) "Functional Calibration Procedure for 3D Knee Joint Angle Description using Inertial Sensors." *J Biomech*, 35(June): 2330-5.
7. Humbert L, de Guise JA, Aubert B, Godbout B. and W. Skalli. (2009) "3D Reconstruction of the Spine from Biplanar X-Rays using Parametric Models based on Transversal and Longitudinal Inferences" *Med Eng Phys*, 2009. Epub Feb. 19.
8. Glavas P, Mac-Thiong JM, Parent S, de Guise JA, Labelle H.(2009) "Assessment of Lumbosacral Kyphosis in Spondylolisthesis: a Computer-Assisted Reliability Study of Six Measurement Techniques." *Eur Spine J*, 18(2): 212-7.
9. Khayati K, Bigras P. and Dessaint LA. (2009) "LuGre Model-Based Friction Compensation and Positioning Control for a Pneumatic Actuator using Multi-objective Output-Feedback Control via LMI Optimization." *Mechatronics*, 19(4): 535-47.
10. Kiss MO, Hagemester N, Lévassieur A, Fernandes J, Lussier B, Petit Y. (2009) "Effectiveness of Thermoelectrically Cooled Tissue Clamp for in Vitro Cyclic Loading and Load-to-Failure Testing of Muscles and Tendons." *J Med Eng Phys*. 31: 1182-6.
11. Lamarre ME, Parent S, Labelle H, Aubin CÉ, Joncas J, Cabral A, Petit Y. (2009) "Assessment of Spinal Flexibility in Adolescent Idiopathic Scoliosis: Suspension versus Side-Bending Radiography." *Spine*, 34(6): 591-7.
12. McGuffin MJ, Jurisica I. (2009) "Interaction Techniques for Selecting and Manipulating Subgraphs in Network Visualizations." *IEEE Transactions on Visualization and Computer Graphics (TVCG)*, 15(6): 937-44. Received an "Honorable Mention".
13. McGuffin MJ, Robert JM. (2009) "Quantifying the Space-Efficiency of 2D Graphical Representations of Trees. *Information Visualization (IVS)*" Palgrave Macmillan, publié en ligne : <http://www.palgrave-journals.com/doi/10.1057/ivs.2009.4>.
14. Pérez MA, Nuño N, Madrala A, García-Aznar JM, Doblaré M.(2009) "Computational Modelling of Bone Cement Polymerization: Temperature and Residual Stresses." *Computers in Biology and Medicine*, Sept;39(9): 751-9.
15. Sudhöff I, de Guise JA, Nordez A, Jolivet E, Bonneau D, Khoury V, Skalli W. (2009) "3D Patient Specific Geometry of the Muscles Involved in Knee Motion from Selected MRI Images." *Med Biol Eng Comput*. 2009 Jun; 47(6): 579-87.

16. Turcot K, Aissaoui R, Boivin K, Pelletier M, Hagemester N, de Guise JA. (2009). "The Responsiveness of Three-Dimensional Knee Accelerations Used as an Estimation of Knee Instability and Loading Transmission during Gait in Osteoarthritis Patient's Follow-Up." *Osteoarthritis Cartilage*, 17(2): 213-9.

2008

17. Aissaoui R, Desroches G. (2008) "Stroke Pattern Classification during Manual Wheelchair Propulsion in the Elderly using Fuzzy Clustering." *J Biomech*. 2008 Aug 7;41(11):2438-45. Epub 2008 Jul 7.
18. Berthiaume F, Gravel P, de Guise JA. (2008) "Bone Enhancement in Digital Dual Energy Radiographs from Normalization with a Synthetic Background Image." *Phys Med Biol*, 53(5): 1259-75.
19. Boivin K, Hagemester N, Turcot K, Pelletier M, Aissaoui R, Prince F, de Guise JA. (2008) "The Relationship of Frontal Plane Knee Kinematics with Knee Alignment and Adduction Moment." *Journal of Biomechanics*, 41(S1): S206.
20. Desroches G, Aissaoui R, Bourbonnais D. (2008) "Relationship Between Resultant Force at the Pushrim and the Net Shoulder Joint Moments During Manual Wheelchair Propulsion." *Elderly Persons Archives of Physical Medicine and Rehabilitation*, 89(6): 1155-61.
21. Desroches G, Aissaoui R, Bourbonnais D. (2008) "The Effect of Resultant Force at the Pushrim on Shoulder Kinetics during Manual Wheelchair Propulsion: a Simulation Study." *IEEE Transactions on Biomedical Engineering*, 55(4): 1423-31.
22. Dubousset J, Charpak G, Skalli W, de Guise J, Kalifa G, Wicart P. (2008) « Modélisation vertébrale et squelettique par le système EOS. » *Archives de Pédiatrie*, 15(5) : 665-666.
23. Favre J, Jolles BM, Aissaoui R, Aminian K. (2008) "Ambulatory Measurement of 3D Knee Joint Angle." *Journal of Biomechanics*, 41: 1029-35.
24. Hagemester N, Parent G, Husse S, de Guise JA. (2008) "A Simple and Rapid Method for Electromagnetic Field Distortion Correction when using Two Fastrak Sensors for Biomechanical Studies." *J of Biomech*, 41(8): 1813-7.
25. Janvier MA, Durant LG, Roy Cardinal MH, Renaud I, Chayer B, Bigras P, de Guise J, Soulez G, Cloutier G. "Performance Evaluation of a Medical Robotic 3D-Ultrasound Imaging System", *Medical Image Analysis Journal*, 12(3): 275-90.
26. Labbe DR, de Guise JA, Godbout V, Fernandes J, Hagemester N. (2008) "Development of an Objective Measurement Tool for the Pivot Shift Phenomenon of the Knee." *Journal of Biomechanics*, 41(S1): S207.
27. Labbe DR, Hagemester N, Tremblay M, de Guise JA. (2008) "Reliability of a Method for Analyzing Three-Dimensional Knee Kinematics during Gait." *Gait & Posture*, 28(1): 170-4.
28. Mac-Thiong JM, Wang Z, de Guise JA, Labelle H. (2008) "Postural Model of Sagittal Spino-Pelvic Alignment and Its Relevance for Lumbosacral Developmental Spondylolisthesis." *Spine*, oct 1;33(21): 2316-25.
29. Mezghani N, Husse S, Boivin K, Turcot K, Aissaoui R, Hagemester N, de Guise JA. (2008) "Automatic Classification of Asymptomatic and Osteoarthritis Knee Gait Patterns using Kinematic Data Features and the Nearest Neighbor Classifier." *IEEE Trans Biomed Eng*, 5(3): 1230-32.
30. Mezghani N, Husse S, Boivin K, Turcot K, Hagemester N, Aissaoui R, Pelletier M, de Guise JA. (2008) "Hierarchical Analysis and Classification of Asymptomatic and Knee Osteoarthritis Gait Patterns using a Wavelet Representation of Kinetic Data and the Nearest Neighbor Classifier." *Journal of mechanics in medicine and biology*, avril 08: 45-54.
31. Nuño N, Madrala A, Plamondon D. (2008) "Measurement of Transient and Residual Stresses during Polymerization of Bone Cement for Cemented Hip Implants." *J Biomech*. 2008 8 Aug 8;41(12):2605-2611.
32. Turcot K, Aissaoui R, Boivin K, Pelletier M, Hagemester N, de Guise JA. (2008) "New Accelerometric Method to Discriminate between Asymptomatic Subjects and Patients with Medial Knee Osteoarthritis during 3D Gait." *IEEE Trans Biomed Eng*, 55(4): 1415-22.
33. Turcot K, Aissaoui R, Boivin K, Pelletier M, Hagemester N, de Guise JA. (2008) "Test-Retest Reliability and Minimal Clinical Change Determination for Three-Dimensional Tibial and Femoral Accelerations during Treadmill Walking in Knee Osteoarthritis Patients." *Arch Phys Med Rehabil*. 89(4): 732-7.

2007

34. Darsaut T, Salazkin I, Lerouge S, Soulez G, Gevry G, Bouzeghrane F, Raymond J. (2007) "The Effects of Stenting and Endothelial Denudation on Aneurysm and Branch Occlusion in a Canine Experimental Aneurysm Model." *J Vasc Surg* 45(6): 1228-35.
35. Charbonneau C, Gautrot JE, Hébert MJ, Zhu XX, and Lerouge S. (2007) "Chondroitin-4-Sulphate: a Bioactive Macromolecule to Foster Vascular Healing around Stent-Grafts after Endovascular Aneurysm Repair." *Macromol Biosci*, 7:746-52.
36. Chailleux N, Lussier B, de Guise JA, Chevalier Y, Hagemeister N. (2007) "In Vitro 3D kinematic Evaluation of Two Corrective Operations for Cranial Cruciate Ligament-Deficient Stifle." *Can J Vet Res*, 17: 175-80.
37. Humbert L, de Guise JA, Aubert B, Godbout B, Parent S, Mitton D, Skalli W. (2007) "3D Reconstruction of the Spine from Biplanar X-Rays Using Longitudinal and Transversal Inferences." *Journal of Biomechanics*, 40(2): S160.
38. Lalonde NM, Dansereau J, Lacoste M, Aissaoui R. (2007) "Modelling Skin Pelvic Landmark Coordinates Into Corresponding Internal Bone for Wheelchair Users." *IEEE Transactions on Biomedical Engineering*, 54(1): 11-8.
39. Lerouge S, Major A, Girard-Lauriault PL, Raymond MA, Laplante P, Soulez G, Wertheimer MR, Mwale F, MJ Hébert. (2007) "Nitrogen-Rich Coatings for Promoting Healing around Stent-Grafts after Endovascular Aneurysm Repair." *Biomaterials* 28: 1209-17.
40. Lessard S, Bigras P, Bonev IA. (2007) "A New Medical Parallel Robot and its Static Balancing Optimization." *Journal of Medical Devices*, 1(4): 272-8.
41. Levasseur A, Tétréault P, de Guise JA, Nuño N, et Hagemeister N. (2007) "Effect of Axis Alignment in Shoulder Joint Kinematics Analysis". *Clin Biomech*, 22(7) 758-66.
42. Mac-Thiong JM, Pinel-Giroux FM, de Guise JA, Labelle H. (2007) "Comparison Between Constrained and Non-Constrained Cobb Techniques for the Assessment of Thoracic Kyphosis and Lumbar Lordosis." *Eur Spine J*, 16: 1325-31.
43. Soulez G, Lerouge S, Salazkin I, Darsaut T, Oliva VL, Raymond J. (2007) "Type I and Collateral Flow in Experimental Aneurysm Models Treated with Stent-Grafts." *J Vasc Interv Radiol*, 18(2):265-272.
44. Südhoff I, Van Driessche S, Laporte S, de Guise JA, Skalli W. (2007) "Comparing Three Attachment Systems Used to Determine Knee Kinematics During Gait." *Gait & Posture*, 25: 533-43.
45. Südhoff I, Skalli W, Fuentes A, de Guise JA. (2007) "A Patient Specific Model for Gait Analysis." *Journal of Biomechanics*, 40(S2): S346.
46. Tang A, Cloutier G, Therasse É, Beaudoin G, Qanadli SD, Giroux MF, Boussion N, de Guise JA, Oliva VL, Soulez G. (2007) "Optimization of Spatial Resolution for Peripheral Magnetic Resonance Angiography." *Academic Radiology*, (14) 1: 54-61.
47. Tanguay T, Mac-Thiong JM, de Guise JA, Labelle H. (2007) "Relation Between the Sagittal Pelvic and Lumbar Spine Geometries Following Surgical Correction of Adolescent Idiopathic Scoliosis." *Eur Spine J*, 16: 531-6.
48. Tse L, Bui B, Lerouge S, Salazkin I, Therasse E, Oliva V, Soulez G. (2007) "In-Vivo Antegrade Fenestration (IVAF) of Abdominal Aortic Stent Grafts." *JEVT* 14: 158-67.
49. Vendittoli PA, Ganapathi M, Nuño N, Plamondon D, Lavigne M. (2007) "Factors Affecting Hip Range of Motion in Surface Replacement Arthroplasty." *Clinical Biomechanics*, 22: 1004-12.

2006

50. Bernard C, Leduc A, Barbeau J, Saoudi B, Yahia L'H, De Crescenzo G. (2006) "Validation of Cold Atmospheric Plasma Treatment for Protein Cleaning: a Surface Plasmon Resonance-Based Biosensor Study." *Journal of Physics D* 39: 1-9.
51. Bonev IA and Gosselin CM. (2006) "Analytical Determination of the Workspace of Symmetrical Spherical Parallel Mechanisms." *IEEE Transactions on Robotics*, 22(5): 1011-7.

52. Champain S, Benchikh K, Nogier A, Mazel C, de Guise, JA and Skalli W. (2006) " Validation of New Clinical Quantitative Analysis Software Applicable in Spine Orthopaedic Studies", *European Spine Journal*, 15(6): 982-91.
53. Desroches G, Aissaoui R, Bourbonnais D. (2006) "The Effect of System Tilt and Seat-to-Backrest Angles on Load Sustained by Shoulder during Wheelchair Propulsion." *Rehabilitation Research and Development*, 43(7): 871-82.
54. Dusseault J, Tam SK, Ménard M, Polizu S, Jourdan G, Yahia L'H, Hallé JP. (2006) "Evaluation of Alginate Purification Methods: Effect of Polyphenol, Endotoxin, and Protein Contamination." *J Biomed Mat Res A* 76(2): 243-51.
55. Favre J, Aissaoui R, Jolles B, Luthi F, de Guise JA, Aminian K. (2006) "Ambulatory Inertial System for 3D Knee Joint Angles Measurement during Gait." *Journal of Biomechanics*, 39: S74.
56. Gravel P, Després P, Beaudoin G, de Guise JA. (2006) "Resolution Enhancement in Digital X-Ray Imaging." *Phys. Med. Biol.*, 55: 2415-39.
57. Lalonde NM, Dansereau J, Pauget P, Cinquin P, Aissaoui R. (2006). "Assessing the Influence of Repositioning on the Pelvis 3D Orientation in Wheelchair Users." *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 14(6): 76-82.
58. Lavoie F, Laplante M, Parent G, Duval N, Doré S, de Guise JA. (2006) "Gesture Standardization Increases the Reproducibility of 3D Kinematic Measurements of the Knee Joint", *Clin Biomech*, 21(5): 502-7.
59. Mac-Thiong JM, Labelle H, de Guise JA. (2006) "Comparison of Sacropelvic Morphology between Normal Adolescents and Subjects with Adolescent Idiopathic Scoliosis. *Stud Health Technol Inform.* 123: 195-200.
60. Mitton D, Deschênes S, Laporte S, Godbout B, Bertrand S, de Guise JA, Skalli W. (2006) "3D Reconstruction of the pelvis from bi-planar radiography." *Computer Methods in Biomechanics and Biomedical Engineering*, 9(1): 1-5.
61. Nuño N, Groppetti R, Senin N. (2006) "Static Coefficient of Friction Between Stainless Steel and PMMA used in Cemented Hip and Knee Implants." *Clinical Biomechanics*, 21: 956-62.
62. Pinel-Giroux F-, Mac-Thiong J-M, de Guise JA, Berthonnaud E, Labelle H. (2006) "Computerized Assessment of Sagittal Curvatures of the Spine Comparison Between Cobb and Tangent Circles Techniques." *J Spinal Desor Tech*, 19(7): 507-12.
63. Polizu S, Savadogo O, Poulin P, Yahia L'H. (2006) "Applications of Carbon Nanotubes-Based Biomaterials in Biomedical Nanotechnology." *Journal of Nanoscience and Nanotechnology* 6(5): 1-22.
64. Skalli W, Mitton D, de Guise JA, Dubousset J. (2006) "The EOS System: New Perspectives for Musculoskeletal Biomechanics." *Journal of Biomechanics*, 39(S1): S460.
65. Tam SK, Dusseault J, Polizu S, Ménard M, Hallé JP, Yahia L'H. (2006) "Impact of Residual Contamination on the Biofunctional Properties of Purified Alginates used for Cell Encapsulation." *Biomaterials*, 27(8): 1296-305.
66. Tanguay F, Mac-Thiong JM, de Guise JA, Labelle H. (2006) "Relation Between the Sagittal Pelvic and Lumbar Spine Geometries Following Surgical Correction of Adolescent Idiopathic Scoliosis: A Preliminary Study." *Stud Health Technol Inform.* 123: 299-302.
67. Van de Putte M, Hagemester N, St-Onge N, Parent G, de Guise JA. (2006) "Habituation to Treadmill Walking", *Bio-Medical Materials and Engineering* 16(1): 43-52.
68. Yahia L'H, Manceur A, Chaffraix P. (2006) "Bioperformance of Shape Memory Alloys Single Crystals." *Bio-Med Mater Eng*, 16: 101-18.
69. Zhim F, Laflamme GY, Viens H, Laflamme GH, Yahia L'H. (2006) "Biomechanical Stability of a Retrotubercle Opening-Wed High Tibial Osteotomy." *J Knee Surg.* (1): 28-32.

2005

70. Auclair-Daigle C, Bureau MN, Legoux JG, Yahia L'H. (2005) "Bioactive Hydroxyapatite Coatings on Polymer Composites for Orthopaedic Implants." *J Biomed Mater Res A*, 73(4): 398-408.
71. Ayari H, Thomas M, Doré S. (2005) « Développement d'un modèle statistique de prédiction de la durée de vie du rachis lombaire, dépendant de la contrainte appliquée, de l'âge et de la densité osseuse. » *Perspectives interdisciplinaires sur le travail et la santé (PISTES)*, 7(2): 14. (<http://www.pistes.uqam.ca/v7n2/articles/v7n2a8.htm>)
72. Benameur S, Mignotte M, Destrempe F, de Guise JA. (2005) "Unsupervised 3D Biplanar Reconstruction of Scoliotic Rib Cage using the Estimation of a Mixture of Probabilistic Prior Models", *IEEE Transactions on Biomedical Engineering*, 52(10): 1713-28.
73. Benameur S, Mignotte M, Labelle H, de Guise JA. (2005) "A Hierarchical Statistical Modeling Approach for the Unsupervised 3D Reconstruction of the Scoliotic Spine", *IEEE Transactions on Biomedical Engineering*, 52(12): 2041-57.
74. Champlain S, Benchikh K, Nogier A, Mazel C, de Guise JA and Skalli W. (2005) "Validation of New Clinical Quantitative Analysis Software Applicable in Spine Orthopaedic Studies", *European Spine Journal*, 2005. (publication en ligne, 20 juin 2005)
75. Chellat F, Grandjean-Laquerriere A, Le Naour R, Fernandes J, Yahia L'H, Guenounou M, Laurent-Maquin D. (2005) "Metalloproteinase and Cytokine Production by THP-1 Macrophages Following Exposure to Chitosan-DNA Nanoparticles." *Biomaterials*, 26(9): 961-70.
76. Chellat F, Merhi Y, Moreau A, Yahia L'H. (2005) "Therapeutic Potential of Nanoparticulate Systems for Macrophage Targeting." *Biomaterials* 26(35): 7260-75.
77. Després P, Gravel P, Beaudoin G, de Guise JA. (2005) "Physical Characteristics of a Low-dose Gas Microstrip Detector for Orthopedic X-rays Imaging", *AAPM - Medical Physics*, 32(4): 1193-204.
78. Després P, Beaudoin G, Gravel P, de Guise JA. (2005) "Evaluation of a full-scale gas microstrip detector for low-dose X-ray imaging". *Nuclear Instruments and Methods in Physics Research Section A : Accelerators, Spectrometers, Detectors and Associated Equipment*, 536(1-2): 52-60.
79. Dumas R, Aissaoui R, Mitton D, Skalli W, de Guise JA. (2005) "Personalized Body Segment Parameters from Bi-Planar Low Dose Radiography." *IEEE Transactions on Biomedical Engineering*, 52(10): 1756-63.
80. Dubousset J, Charpak G, Dorion I, Skalli W, Lavaste F, de Guise JA, Kalifa G, Ferey S. (2005) " Le système EOS; Nouvelle imagerie ostéo-articulaire basse dose en position debout. " *E-Mémoires Académie Nationale de Chirurgie*, 4(4): 22-7.
81. Dubousset J, Charpak G, Dorion I, Skalli W, Lavaste F, de Guise JA, Kalifa G, Ferey S. (2005) "A New 2D and 3D Imaging Approach to Musculoskeletal Physiology and Pathology with Low-Dose Radiation and the Standing Position: the EOS System." *Bulletin de l'Académie Nationale de Médecine*, 189(2):287-97; discussion 297-300.
82. Godbout B, de Guise JA, Soulez G, Cloutier G. (2005) "3D Elastic Registration of Vessel Structures from IVUS Data on Biplane Angiography", *Acad Radiol*, 12(1): 10-6.
83. Hagemester N, Parent G, Van de Putte M, St-Onge N, Duval N, de Guise J.A. (2005) "Reproducible Method for Studying Three-Dimensional Knee Kinematics." *Journal of Biomechanics*, 38(9): 1926-31.
84. Kolta S, Le Bras A, Mitton D, Bousson V, de Guise JA, Fechtenbaum J, Laredo JD, Roux C, Skalli W. (2005) "3-Dimensional X-Ray Absorptiometry (3D-XA) : a Method for Reconstruction of Human Bones using a Dual X-Ray Absorptiometry Device". *Osteoporosis International*, 16(8): 969-76.
85. Le Bras A., Laporte S., Bousson V., Mitton D., de Guise J.A., Laredo J.D., Skalli W. (2005) "3D reconstruction of the proximal femur with low-dose digital stereoradiography". *Computer Aided Surgery*, 9(3): 51-7.
86. Mathieu JB, Martel S, Yahia L'H, Soulez G, Beaudoin G. (2005) "Preliminary Investigation of the Feasibility of Magnetic Propulsion for Future Microdevices in Blood Vessels." *Biomed Mater Eng*, 15(5): 367-74.
87. Nau T, Chevalier Y, Hagemester N, de Guise JA, Duval N. (2005) "Comparison of 2 Surgical Techniques of Posterolateral Corner Reconstruction of the Knee", *The American Journal of Sports Medicine*, 33(12): 1830-45.

88. Nau T, Chevalier Y, Hagemeister N, Duval N, de Guise JA. (2005) "A 3-D kinematic in vitro comparison of postero lateral corner reconstruction techniques in a combined injury model." *Knee Surgery Sports Traumatology and Arthroscopy*, 13: 572-80.
89. Nuño N et Plamondon D. (2005) "Measurement of the residual stresses due to cement polymerisation for cemented hip implants." *Materials Science Forum*, vols. 490-491: 571-6.
90. Tam SK, Dusseault J, Polizu S, Ménard M, Hallé JP, Yahia L'H. (2005) "Physicochemical Model of Alginate-Poly-L-Lysine Microcapsules Defined at the Micrometric/Nanometric Scale Using ATR-FTIR, XPS, and ToF-SIMS." *Biomaterials*, 26(34): 6950-61.
91. Zhim F, Viens H, Yahia L'H, Saidane K, Laflamme GH. (2005) "Biomechanical Stability of High Tibial Opening Wedge Osteotomy: Internal Fixation Versus External Fixation." *Clin Biomech*, 20(8): 871-76.